EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S66	1307	362/606,607,610,612,555,560.ccls. and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S67	428	362/600-634,555,560.ccls. and (total near2 internal near2 reflect$3) and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S68	1302	(lcd BACK$1LIGHT back$1lit Edge$1lit edge$1light (liquid$1crystal) LGP) and (prism protrusions) and (total near2 internal near2 reflect$3) and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S69	909	S68 and (refract$3 near2 index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38

S70	909	S69 and reflect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S71	531	S69 and ("LED" (light adj emit$4 near2 (device source diode unit module chip solid$1state semi$1conduct$3)) 362/800.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S72	50	S69 and "16:9"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S73	380	362/247.ccls. and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S74	1129	362/612,628,235,244,311,329.ccls. and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38

S75	2432	"362"/$.ccls. and (collimat$3 condens$3) and project$3 and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S76	147	S75 and 362/800.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S77	991	S75 and (362/800.ccls. "LED" (light$1emit$4 near3 (diode device source module unit chip semi$1conduct$3 solid$1state)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S78	991	"362"/$.ccls. and (collimat$3 condens$3) and project$3 and (362/800.ccls. "LED" (light$1emit$4 near3 (diode device source module unit chip semi$1conduct$3 solid$1state))) and @ad<"20050314"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S79	42	(S73 S74 S76 S77 S78) and @pd>"20080815"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38

S80	10	(S66 S67 S69 S70 S71 S72 S73 S79) and @pd>"20090801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 14:38
S81	4	zhou-hans.in. anderson-duncan.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 16:13
S83	3124	362/613,617,619,620,623,327,330,339.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:43

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	0	(incoherent with guide with extraction with surface with area with brightness).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 16:14

10/23/2009 12:06:08 PM
C:\ Documents and Settings\ llovell\ My Documents\ EAST\ Workspaces\ 100-105\ 10598898 high brightness illum device w incoherent solid state.wsp